L Number	Hits	Search Text	DB	Time stamp
1	2	6253324.pn.	USPAT;	2004/06/08 08:33
		-	US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
	•		IBM_TDB	2004/06/08 00:34
2	2	6292897.pn.	USPAT;	2004/06/08 08:34
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	19341277	@ad<20000707	USPAT;	2004/06/08 10:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	37		USPAT;	2004/06/08 09:11
		same random	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
9	20	("4919545" "5050212" "5202923"	USPAT	2004/06/08 10:08
	20	"5214700" "5220603" "5224160"	332731	1 2001, 00, 00 10.00
		"5235642" "5276444" "5530757"		
		"5560008" "5625693" "5757915"		
		"5818936" "5835727" "5881151"		
į		"5881152" "5935249" "5970145"		
		"5978484" "6049877").PN.		
10	0		USPAT	2004/06/08 10:41
11	564	-	USPAT;	2004/06/08 10:43
		same server	US-PGPUB;	
			EPO; JPO; DERWENT;	
-			IBM TDB	
12	13	@ad<20000707 and client same integrity	USPAT;	2004/06/08 10:48
	13	same server same hash	US-PGPUB;	2501,00,00 10.40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	3	@ad<20000707 and client same integrity	USPĀT;	2004/06/08 10:48
		same server with request same hash	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
14	1 3 1	 713/187.ccls. and @ad<20000707	IBM_TDB USPAT;	2004/06/09 10.52
14	131	/13/10/.CCIS. and @ad<20000/0/	USPAT; US-PGPUB;	2004/06/08 10:52
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
15	45	4712239.URPN.	USPAT	2004/06/08 11:05
18	1	5822432.pn.	USPAT;	2004/06/08 11:31
			US-PGPUB;	
			IBM_TDB	
-	200	713/201.ccls. and @ad<20000707 and hash	USPAT;	2004/06/05 11:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	135	713/201.ccls. and @ad<20000707 and hash	IBM_TDB USPAT;	2004/01/14 14:28
	133	and (seed random)	US-PGPUB;	2004/01/14 14:20
		and took fundom,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	22		USPĀT;	2004/01/14 14:25
		and (seed random)) and memory with (space	US-PGPUB;	
		range)	EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

	T		,	
-	19	(713/201.ccls. and @ad<20000707 and hash	USPAT;	2004/02/18 10:46
		and (seed random)) and verify with	US-PGPUB;	
		integrity and hash	EPO; JPO; DERWENT;	
ĺ			IBM TDB	
_	19302099	@ad<20000707	USPAT;	2004/01/14 14:28
{	13302033	- Caa 12000101	US-PGPUB;	2001, 01, 11 1101
			EPO; JPO;	Į l
			DERWENT;	
			IBM TDB	
-	1347	@ad<20000707 and hash with memory	USPĀT;	2004/06/08 09:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	196	l -	USPAT;	2004/01/14 14:43
		((random with value) seed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	111	Red < 20000707 and back with mamanus and	IBM_TDB	2004/01/14 14:52
-	111	@ad<20000707 and hash with memory and ((random with value) seed) and position	USPAT; US-PGPUB;	2004/01/14 14:52
		((tandom with value) seed) and position	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	18	@ad<20000707 and hash with memory and	USPAT;	2004/01/15 11:43
		((random with value) seed) and position	US-PGPUB;	-:::,::,::,::
		with (message stream)	EPO; JPO;	
		,,	DERWENT;	
			IBM TDB	
_	291	@ad<20000707 and verify with memory with	USPAT;	2004/01/14 15:02
		content	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	@ad<20000707 and verify with memory with	USPAT;	2004/01/14 14:59
		("not changed" unchanged corrupt)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	İ
_	12	@ad<20000707 and verify with memory with	USPAT;	2004/01/14 15:00
_	12	("not changed" unchanged unmodified	US-PGPUB;	2004/01/14 15:00
		corrupt)	EPO; JPO;	l
		0022490/	DERWENT;	
			IBM TDB	
_	6638	set with top with box and @ad<20000707	USPAT;	2004/02/17 13:40
			US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	75	(=== ===== === === ==== === === == == =	USPAT;	2004/01/14 15:24
		and prevent\$3 with (tamper\$3)	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	1 .		IBM_TDB	
-	44	((set with top with box and @ad<20000707)	USPAT;	2004/01/14 15:25
		and prevent\$3 with (tamper\$3)) and hash\$2	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
_	44	((sot with top with how and And (20000707)	IBM_TDB	2004/01/14 15:06
~	44	((set with top with box and @ad<20000707) and prevent\$3 with (tamper\$3)) and hash\$3	USPAT; US-PGPUB;	2004/01/14 15:26
		and breveness with (ramberss)) and Hasuss	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	137	713/194.ccls. and @ad<20000707	USPAT;	2004/01/15 09:23
	1	ITTT GET AND CARTEDOOTO	US-PGPUB;	2004/01/10 09.23
			EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
· · · · · · · · · · · · · · · · · · ·				

-	17	(713/194.ccls. and @ad<20000707) and hash	USPAT;	2004/01/14	15:30
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	İ		IBM TDB		
_	21	(713/194.ccls. and @ad<20000707) and	USPAT;	2004/01/14	15:44
		hash\$3	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
_	1	@ad<20000707 and hash with compare same	USPAT;	2004/01/14	16:16
	1	determine with (change modification)	US-PGPUB;	2001/01/11	
		determine with (change modification)	EPO; JPO;		
			DERWENT;		
			IBM TDB		
	2.4	E0100E7 HDDN	USPAT	2004/01/14	16.66
-	24	5919257.URPN.			
-	24	5919257.URPN.	USPAT	2004/01/14	
-	24	5919257.URPN.	USPAT	2004/01/14	
-	24	5919257.URPN.	USPAT	2004/01/14	
-	99	@ad<20000707 and message with position	USPAT;	2004/01/14	16:20
		with (random seed)	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
_	125	713/187.ccls. and @ad<20000707	USPAT;	2004/01/15 (09:24
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
1_	61	(713/187.ccls. and @ad<20000707) and	USPAT;	2004/01/15 (na.21
-	01	hash\$3	US-PGPUB;	2004/01/13 (09.24
		nasn\$3			
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	956	714/38.ccls. and @ad<20000707	USPAT;	2004/01/15 (09:24
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM_TDB	'	
-	48	(714/38.ccls. and @ad<20000707) and hash\$3	USPAT;	2004/02/18	10:35
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	l 8	@ad<20000707 and hash with memory and	USPĀT;	2004/01/15	11:47
		((random with value) seed) same position	US-PGPUB;		
		same (message stream)	EPO; JPO;		
		' (moodage beloam)	DERWENT;		
			IBM TDB	-	
1_	744	 @ad<20000707 and ((data with stream)	USPAT;	2004/01/15	11.47
-	'44			2004/01/13	11:4/
		message) same (random seed) same position	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
		0.000000707	IBM_TDB	000440445	
-	245	-	USPAT;	2004/01/15	11:48
		message) same (random seed) with position	US-PGPUB;	,	
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	2	@ad<20000707 and ((data with stream)	USPĀT;	2004/01/15	12:01
		message) same (random seed) with position	US-PGPUB;		
		and (memory program code software) with	EPO; JPO;		
		(integrity)	DERWENT;		
			IBM TDB		
-	18	@ad<20000707 and ((data with stream)	USPAT;	2004/01/15	12:07
		message) same (random seed) same position	US-PGPUB;	= 55.7, 51, 15	,
		and (memory program code software) with	EPO; JPO;		
1		(integrity)	DERWENT;		
		(THEOGETICA)			+
		<u> </u>	IBM TDB	L	

19302101	5 12:52 5 12:51 5 13:00 5 13:01
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT;	5 12:51 5 13:00 5 13:01
- 99 @ad<20000707 and message with (random seed) with position IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	5 12:51 5 13:00 5 13:01
- 99 @ad<20000707 and message with (random seed) with position	5 12:51 5 13:00 5 13:01
seed) with position Seed) with position US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	5 12:51 5 13:00 5 13:01
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	5 13:00 5 13:01
- 36 (@ad<20000707 and message with (random seed) with position) and network - 1364 @ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position - 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 256 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 266 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) - 276 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) - 276 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) - 276 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote)	5 13:00 5 13:01
- 36 (@ad<20000707 and message with (random seed) with position) and network - 1364 @ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position - 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) - 254 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 266 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) - 266 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote)	5 13:00 5 13:01
seed) with position) and network Seed) with position and network US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGUB; EPO; JPO; DERWENT;	5 13:01
DERWENT; IBM_TDB USPAT; US-PGPUB; position 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network 26 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) 2004/01/10 US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	5 13:01
- 1364 @ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position - 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 26 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) 18M_TDB	5 13:01
- 1364 @ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position - 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 26 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with transmit\$4 send) with (random seed) with position) and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with transmit\$4 send) with (random seed) with position) and (client remote)	5 13:01
position - 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 226 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
DERWENT; IBM_TDB USPAT; US-PGPUB; position) and network - 226 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with transmit\$4 send) with (random seed) with transmit\$4 send) with (random seed) with position) and (client remote) DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; DERWENT;	
- 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 226 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) IBM_TDB	
- 252 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and network - 226 (@ad<20000707 and (transfer\$2 receive\$2 transmit\$4 send) with (random seed) with position) and (client remote) USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
position) and network - 226 (@ad<20000707 and (transfer\$2 receive\$2 USPAT; transmit\$4 send) with (random seed) with position) and (client remote) position and network EPO; JPO; DERWENT; 2004/01/1	5 13:02
DERWENT; IBM_TDB USPAT; US-PGPUB; position) and (client remote) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	5 13:02
- 226 (@ad<20000707 and (transfer\$2 receive\$2 USPAT; US-PGPUB; position) and (client remote) EPO; JPO; DERWENT;	5 13:02
transmit\$4 send) with (random seed) with US-PGPUB; position) and (client remote) EPO; JPO; DERWENT;	5 13:02
position) and (client remote)	
DERWENT;	
- 5 (@ad<20000707 and (transfer\$2 receive\$2 USPAT; 2004/01/1	5 13:04
transmit\$4 send) with (random seed) with US-PGPUB; position) and hash EPO; JPO;	
DERWENT;	
IBM_TDB	
- 65 @ad<20000707 and memory same integrity and USPAT; 2004/01/1 hash same (random seed) US-PGPUB;	5 13:16
EPO; JPO;	
DERWENT;	
	E 12.26
hash same ((random with (number value)) US-PGPUB;	.5 15:20
seed) EPO; JPO;	
DERWENT;	
	5 13.28
(random with number) US-PGPUB;	
EPO; JPO;	
DERWENT; IBM TDB	
- 27 @ad<20000707 and return\$2 with hash\$3 same USPAT; 2004/01/1	5 13:31
(random with number) US-PGPUB;	
EPO; JPO;	
DERWENT; IBM TDB	
- 33 @ad<20000707 and return\$2 with hash\$3 same USPAT; 2004/01/1	5 13:39
((random with number) seed) US-PGPUB;	
EPO; JPO; DERWENT;	
IBM TDB	
- 96 @ad<20000707 and (transmit\$5 send\$2 sent USPAT; 2004/01/1	5 13:52
deliver\$3) with hash\$3 same ((random with US-PGPUB; number) seed) EPO; JPO;	
number seed EPO; JPO; DERWENT;	
IBM TDB	
- 0 @ad<20000707 and (transmit\$5 send\$2 sent USPAT; 2004/01/1	5 13:53
deliver\$3) with hash\$3 same ((random with US-PGPUB; number) seed) with position EPO; JPO;	
DERWENT;	
IBM TDB	

				100 11 20
-	19302531	@ad<20000707	USPAT;	2004/01/20 11:30
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	194	713/171.ccls. and @ad<20000707	USPAT;	2004/01/20 11:32
	1,73	7137171.0013. and eda 20000707	US-PGPUB;	2004/01/20 11:02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	147	713/165.ccls. and @ad<20000707	USPAT;	2004/01/20 11:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	85	(713/171.ccls. and @ad<20000707) and	USPAT;	2004/01/20 11:34
		hash\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	74	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/01/20 11:35
		hash\$3) and (random)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		///712/171 pole and 0-4/00007070	IBM_TDB	2004/01/20 11:39
_	50		USPAT;	2004/01/20 11:39
		hash\$3) and (random)) and memory	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	49	(((713/171.ccls. and @ad<20000707) and	USPAT;	2004/01/20 11:39
		hash\$3) and (random)) and memory and	US-PGPUB;	2001, 01, 20 11.05
		(random not with memory)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	38	(713/165.ccls. and @ad<20000707) and	USPAT;	2004/01/20 12:34
		hash\$3 and random	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13670	(file data software) with integrity and	USPAT;	2004/01/20 12:29
		@ad<20000707	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	180	((file data software) with integrity and	IBM_TDB USPAT;	2004/01/20 12:29
-	100	((IIIe data software) with integrity and	US-PGPUB;	2004/01/20 12:29
		Cad 20000 / 0 / / and nash same random	EPO; JPO;	
		•	DERWENT;	
			IBM TDB	
-	23	((file data software) with integrity and	USPAT;	2004/01/20 12:31
		(ad<20000707) and hash same random same	US-PGPUB;	
	-	position	EPO; JPO;	
		_	DERWENT;	
			IBM TDB	
-	187	@ad<20000707 and hash same (random key)	USPAT;	2004/01/20 12:34
	1	same position	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	66	1 2 2	USPAT;	2004/01/20 12:35
		hash same (random seed)	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
l _	49	Rade20000707 and hagh same random same	IBM_TDB	2004/01/20 12-25
-	49	@ad<20000707 and hash same random same position	USPAT; US-PGPUB;	2004/01/20 12:35
		Postcrou	EPO; JPO;	
		'	DERWENT;	
	1		IBM TDB	
	L	<u> </u>	1011 100	L

	121	(@ad<20000707 and hash same (random key)	USPAT;	2004/01/20 12:38
-	121	same position) and (transmit\$5 deliver\$5	US-PGPUB;	2004/01/20 12:50
		send)	EPO; JPO;	
			DERWENT; IBM TDB	
_	33	((@ad<20000707 and hash same (random key)	USPĀT;	2004/01/20 12:39
		same position) and (transmit\$5 deliver\$5	US-PGPUB;	
		send)) and ((file data software) with	EPO; JPO; DERWENT;	
		integrity and @ad<20000707)	IBM TDB	
_	612	@ad<20000707 and (message with (random	USPAT;	2004/01/20 12:42
		key)) same hash	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	176	(@ad<20000707 and (message with (random	USPĀT;	2004/01/20 12:42
		key)) same hash) and ((file data	US-PGPUB;	
		software) with integrity and @ad<20000707)	EPO; JPO; DERWENT;	
			IBM TDB	
-	163	((@ad<20000707 and (message with (random	USPAT;	2004/01/20 12:42
		key)) same hash) and ((file data software) with integrity and	US-PGPUB; EPO; JPO;	
		@ad<20000707)) and computer	DERWENT;	
			IBM_TDB	
-	74	(((@ad<20000707 and (message with (random	USPAT;	2004/01/20 12:48
		key)) same hash) and ((file data software) with integrity and	US-PGPUB; EPO; JPO;	
		@ad<20000707)) and computer) and hash with	DERWENT;	
		compar\$5	IBM_TDB	
-	162	380/262.ccls. and @ad<20000707	USPAT; US-PGPUB;	2004/02/16 16:06
,			EPO; JPO;	
			DERWENT;	
	1.7	(200/060 1 1 0 - 1 0 0 0 0 0 0 0 0 0 0	IBM_TDB	0004/01/00 10 57
-	17	(380/262.ccls. and @ad<20000707) and hash	USPAT; US-PGPUB;	2004/01/20 12:57
			EPO; JPO;	
			DERWENT;	
_	141	@ad<20000707 and message same position adj	IBM_TDB USPAT;	2004/01/20 12:59
	141	(byte field)	US-PGPUB;	2004/01/20 12.55
			EPO; JPO;	
			DERWENT;	
_	8	@ad<20000707 and message same position adj	IBM_TDB USPAT;	2004/01/20 13:00
		(byte field) with (random key seed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	27	@ad<20000707 and message same position	USPAT;	2004/01/20 13:13
		near2 (byte field) with (random key seed)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1271	@ad<20000707 and scientific adj atlanta	USPĀT;	2004/01/20 13:18
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	528	380/46.ccls. and @ad<20000707	USPAT;	2004/01/20 13:27
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	5.0	/200/46	IBM_TDB	0000/00/00 00 00
-	52	(380/46.ccls. and @ad<20000707) and hash	USPAT; US-PGPUB;	2004/01/20 13:26
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

_	2	(380/46.ccls. and @ad<20000707) and hash and 713/200,201.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/01/20 13:26
			DERWENT; IBM TDB	
_	108	380/46.ccls. and @ad<20000707 and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/01/20 13:59
	8	@ad<20000707 and local same remote same verif\$5 and hash same (seed random)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/20 14:06
1		verify and hash same (seed random)	EPO; JPO; DERWENT; IBM TDB	
_	29	@ad<20000707 and remote same verif\$5 and hash same (seed random)	USPAT; US-PGPUB; EPO; JPO;	2004/01/20 14:10
_	8403	@ad<20000707 and hash	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/16 15:30
_	19312718	@ad<20000707	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/02/16 15:30
_	2	(@ad<20000707 and hash) and hidden with message with position	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/02/16 15:38
			EPO; JPO; DERWENT; IBM_TDB	0004/00/16 15 26
_	1 4	"5748783".PN. ("5659726" "5689587" "5721788" "5748783").PN.	USPAT USPAT	2004/02/16 15:36 2004/02/16 15:36
-	0	(@ad<20000707 and hash) and locat\$3 with value with message with position	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/16 15:44
-	46	(@ad<20000707 and hash) and locat\$3 with value with message	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/16 15:39
_	43	((@ad<20000707 and hash) and locat\$3 with value with message) and network	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/16 15:39
-	0	(@ad<20000707 and hash) and locat\$3 with value with message with random	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/02/16 15:43
_	98	@ad<20000707 and message with position	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/02/16 15:47
		with random	US-PGPUB; EPO; JPO; DERWENT;	
-	1033	@ad<20000707 and message with position with locat\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/16 15:48
			DERWENT; IBM TDB	

1740				
_	37	@ad<20000707 and locat\$3 with value with message with position	USPAT; US-PGPUB;	2004/02/16 15:58
			EPO; JPO; DERWENT; IBM TDB	
-	149	@ad<20000707 and 380/283.ccls.	USPAT; US-PGPUB;	2004/02/16 16:06
			EPO; JPO; DERWENT; IBM TDB	
-	22	(@ad<20000707 and 380/283.ccls.) and message with (position locat\$5)	USPAT; US-PGPUB;	2004/02/16 16:05
			EPO; JPO; DERWENT;	
-	133	@ad<20000707 and 380/2.ccls.	IBM_TDB USPAT; US-PGPUB;	2004/02/16 16:08
			EPO; JPO; DERWENT;	
-	103	380/262.ccls. and @ad<20000707 and message	IBM_TDB USPAT; US-PGPUB;	2004/02/16 16:06
			EPO; JPO; DERWENT;	
-	119	(@ad<20000707 and 380/283.ccls.) and message	IBM_TDB USPAT; US-PGPUB;	2004/02/16 16:07
		message	EPO; JPO; DERWENT;	
-	65	@ad<20000707 and 380/228.ccls.	IBM_TDB USPAT; US-PGPUB;	2004/02/16 16:08
			EPO; JPO; DERWENT;	
-	66	(@ad<20000707 and 380/2.ccls.) and message	IBM_TDB USPAT; US-PGPUB;	2004/02/17 11:10
		message	EPO; JPO; DERWENT;	
-	19313255	@ad<20000707	IBM_TDB USPAT; US-PGPUB;	2004/02/17 13:40
			EPO; JPO; DERWENT;	
_	572	@ad<20000707 and (deliver\$4 transmit\$5 send) with random with position	IBM_TDB USPAT; US-PGPUB;	2004/02/17 14:12
		Send) with landom with position	EPO; JPO; DERWENT;	
-	27	(@ad<20000707 and (deliver\$4 transmit\$5 send) with random with position) and	IBM_TDB USPAT; US-PGPUB;	2004/02/17 15:06
		integrity	EPO; JPO; DERWENT;	
-	39638	@ad<20000707 and data adj stream	IBM_TDB USPAT; US-PGPUB;	2004/02/17 15:09
			EPO; JPO; DERWENT;	
_	211	(@ad<20000707 and data adj stream) and random adj value	IBM_TDB USPAT; US-PGPUB;	2004/02/17 15:09
			EPO; JPO; DERWENT;	
-	0	((@ad<20000707 and data adj stream) and random adj value) and locate\$2 with stream	IBM_TDB USPAT; US-PGPUB;	2004/02/17 15:09
		with random	EPO; JPO; DERWENT;	
L	L	<u> </u>	IBM TDB	

-		3	1 ((4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	USPAT;	2004/02/17	15:31
ļ			random adj value) and position with stream	US-PGPUB;		
			with random	EPO; JPO;		
				DERWENT;		
				IBM_TDB		45 00
-	•	5495	@ad<20000707 and packet with position	USPAT;	2004/02/17	15:33
				US-PGPUB;		
				EPO; JPO;		
·				DERWENT;		
				IBM_TDB		
-		45	((set with top with box and @ad<20000707)	USPAT;	2004/02/18	09:18
			and prevent\$3 with (tamper\$3)) and hash	US-PGPUB;		
				EPO; JPO;		
				DERWENT;	-	
			/// with the with how and 0-1/200007071	IBM TDB	2004/00/10	00.10
-		0	(((set with top with box and @ad<20000707)	USPAT;	2004/02/18	09:19
			and prevent\$3 with (tamper\$3)) and hash)	US-PGPUB;		
			and random adj value with hash	EPO; JPO;		
				DERWENT;		
		_	///set with ten with her and And (20000707)	IBM TDB USPAT;	2004/02/18	00.10
_		U	(((set with top with box and @ad<20000707) and prevent\$3 with (tamper\$3)) and hash)	USPAT; US-PGPUB;	2004/02/18	05:13
		1	and prevents with (tamperss) and hash) and random adj value same hash	EPO; JPO;		
			and random adj varue same nasn	DERWENT;		
				IBM TDB		
_		11	(((set with top with box and @ad<20000707)	USPAT;	2004/02/18	Λα·1α
			and prevent\$3 with (tamper\$3)) and hash)	US-PGPUB;	2003/02/10	JJ.13
			and random adj value	EPO; JPO;		
]			and random adj varac	DERWENT;		
				IBM TDB		
_		37	@ad<20000707 and hash near5 random near5	USPAT;	2004/02/18	09:35
			(program memory application)	US-PGPUB;	2001,02,10	03.00
			(program momor) apprioacion,	EPO; JPO;		
				DERWENT;		
			•	IBM TDB		
_		9	@ad<20000707 and hash with random adj	USPAT;	2004/02/18	09:28
			value and integrity	US-PGPUB;		
				EPO; JPO;		
				DERWENT;		
				IBM TDB		
-		26	5919257.URPN.	USPAT	2004/02/18	09:50
-		8	5919257.URPN. and hash	USPAT;	2004/02/18	09:33
				US-PGPUB;		
				IBM_TDB		
-		19313255	@ad<20000707	USPAT;	2004/02/18	10:29
				US-PGPUB;		
				EPO; JPO;		
1				DERWENT;		
				IBM_TDB		
-		109		USPAT;	2004/02/18	09:43
			random adj value	US-PGPUB;		
				EPO; JPO;		
				DERWENT;		
			0-440000707	IBM_TDB	2004/00/5	00 15
-		64	• · · · · · · · · · · · · · · · · · ·	USPAT;	2004/02/18	09:46
			random adj value and (remote client)	US-PGPUB;		
1				EPO; JPO;		
				DERWENT;		
_		37	@ad<20000707 and hash same verif\$7 and	IBM_TDB	2004/02/10	00-40
		3/		USPĀT;	2004/02/18	09:46
			random adj value and remote	US-PGPUB; EPO; JPO;		
				DERWENT;		
				IBM TDB		
l _		19	("5196840" "5202997" "5204961"	USPAT	2004/02/18	09.46
		19	"5210795" "5287519" "5313637"	OSEMI	2004/02/18	09:40
			3210793			
			"5426775" "5444850" "5448045"			
			"5465357" "5608801" "5701463"			
			"5701491" "5710817" "5740371"			
			"5828888").PN.			
		<u> </u>	1777. 1777.	L	L	

-	19	("5196840" "5202997" "5204961"	USPAT	2004/02/18 09:49
		"5210795" "5287519" "5313637"		
		"5341422" "5349642" "5355489" "5426775" "5444850" "5448045"		
		"5465357" "5608801" "5701463"		
		"5701491" "5710817" "5740371"		
		"5828888").PN.		
-	1	6477648.pn.	USPAT	2004/02/18 09:49
-	503		USPAT	2004/02/18 09:53
	1.0	number		0004/00/10 00.56
-	10	@ad<20000707 and hash same random same number and server same compare same hash	USPAT	2004/02/18 09:56
_	112		USPAT	2004/02/18 10:10
		number) and program same hash	001111	2001,02,10 1011
-	77	@ad<20000707 and remote same integrity	USPAT	2004/02/18 10:16
		same verification		
-	15		USPAT	2004/02/18 10:20
	_	same client and hash same random	TICDAM.	2004/02/19 10.20
] _	6	@ad<20000707 and server same verif\$7 same remote same hash	USPAT	2004/02/18 10:20
_	47	@ad<20000707 and hash same program same	USPAT;	2004/02/18 10:33
	1	(intrusion integrity)	US-PGPUB;	2001/02/20 20100
			EPO; JPO;	
			DERWENT;	
	1	\(\tau_1 \tau_1 \tau_2 \tau_1 \tau_1 \tau_2 \tau_1 \tau_2 \tau_2 \tau_1 \tau_2 \tau_2 \tau_2 \tau_1 \tau_2	IBM_TDB	0004/00/10 10 50
_	15	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/02/18 13:03
		and server and client	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	36	@ad<20000707 and return\$2 with hash\$3 same	USPAT;	2004/02/18 10:39
		((random with (number value)) seed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	26	@ad<20000707 and compare with hash with	IBM_TDB USPAT;	2004/02/18 10:39
	20	value same server	US-PGPUB;	2004/02/10 10.39
		Value same server	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	55		USPAT;	2004/02/18 10:41
		and prevent with (tamper\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	15	(713/194.ccls. and @ad<20000707 and hash	USPAT;	2004/02/18 10:59
		and (seed random))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	14	@ad<20000707 and rainbow and hash	IBM_TDB USPAT;	2004/02/18 11:07
	14	Gad-2000/0/ and ratingow and masn	US-PGPUB;	2004/02/18 11:0/
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	387	@ad<20000707 and hash near5 random	USPAT;	2004/02/18 11:08
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	74	(@ad<20000707 and hash near5 random) and	USPAT;	2004/02/18 11:14
		(data program application) near4 integrity	US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
_	72	//Mad<20000707 and heat need	IBM_TDB	2004/02/10 11 02
1	'2	((@ad<20000707 and hash near5 random) and (data program application) near4	USPAT; US-PGPUB;	2004/02/18 11:08
		integrity) and (client server network)	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM TDB	

-	144	(@ad<20000707 and hash near5 random) and	USPAT;	2004/02/18 11:24
		(data program application) near4 hash	US-PGPUB;	
			EPO; JPO;	
	ĺ		DERWENT;	
			IBM_TDB	
-	224	@ad<20000707 and message and random with	USPAT;	2004/02/18 11:28
		header	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
-	49	(@ad<20000707 and message and random with	USPAT;	2004/02/18 11:28
		header) and hash	US-PGPUB;	
!			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	("5638446" "5903651" "5919257").PN.	USPAT	2004/02/18 12:57
-	2	6263431.URPN.	USPAT	2004/02/18 12:59
 	18	@ad<20000707 and client same (server with	USPAT;	2004/02/18 13:51
İ		compare with hash)	US-PGPUB;	
	İ	-	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	5371794.ccls.	USPAT;	2004/02/18 13:52
			US-PGPUB;	<u> </u>
			EPO; JPO;	
	j l		DERWENT;	
			IBM TDB	
_	2	5371794.pn.	USPAT;	2004/02/18 13:52
	_		US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	7	@ad<20000707 and choos\$5 with hash with	USPAT;	2004/02/18 13:59
		algorithm	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
_	2	5898784.pn.	USPAT;	2004/02/18 14:02
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l <u> </u>	36	@ad<20000707 and choos\$5 near3 hash	USPAT;	2004/02/18 14:07
			US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
-	2	(@ad<20000707 and choos\$5 near3 hash) and	USPAT;	2004/02/18 14:07
	_	hash near5 algorithms!	US-PGPUB;	
			EPO; JPO;	
			DERWENT;]
			IBM TDB	
l _	106	"5153919"	USPAT;	2004/05/25 15:13
	100		US-PGPUB;	
			IBM TDB	
-	1	5153919.pn.	USPAT;	2004/05/25 15:14
	_		US-PGPUB;	,_,_,_,_
	1		IBM TDB	
_	2	"20020138554"	USPAT;	2004/06/05 11:44
]		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	222	5,003,591 5,195,130 5,572,572	USPAT;	2004/06/05 11:45
		0,000,001 0,100,100 0,000,000	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
		<u> </u>	1	<u> </u>

-	153	5,003,591.pn. 5,195,130 5,572,572	USPAT;	2004/06/05 11:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	5,003,591.pn. 5,195,130.pn. 5,572,572.pn.	USPAT;	2004/06/05 11:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	